

# BOULEVARD (Model)



## TECHNICAL INFORMATION

[IES Files](#) 

|               |                                |
|---------------|--------------------------------|
| Watt          | 35W                            |
| Luminaire     | Up to 2350lm                   |
| CCT           | 3000K – 4000K                  |
| CRI           | >80                            |
| Wiring        |                                |
| LED life time | > 60000h - L80 - B20 (Ta 25°C) |
| Color         | Black - 12 / Aluminium - 21    |

## DESCRIPTION



## VERSIONS *(Click on below link to configure your product)*




[boulevard](#)

Size:  
Ø 20" 15/32  
20" 3/32



## OPTICS




See accessories in the next page

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097003X-12**

Code Ref.




TECHNICAL INFORMATION

|        |            |
|--------|------------|
| Color  | Black - 12 |
| Weight | 85.98 lb   |

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097007X-12**

Code Ref.




TECHNICAL INFORMATION

|        |            |
|--------|------------|
| Color  | Black - 12 |
| Weight | 94.8 lb    |

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097011X-12**

Code Ref.




TECHNICAL INFORMATION

|        |            |
|--------|------------|
| Color  | Black - 12 |
| Weight | 101.41 lb  |

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097014X-12**

Code Ref.




TECHNICAL INFORMATION

|        |            |
|--------|------------|
| Color  | Black - 12 |
| Weight | 110.23 lb  |

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097028X-12**

Code Ref.




TECHNICAL INFORMATION

|        |            |
|--------|------------|
| Color  | Black - 12 |
| Weight | 143.3 lb   |

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097029X-12**

Code Ref.




TECHNICAL INFORMATION

|        |            |
|--------|------------|
| Color  | Black - 12 |
| Weight | 160.94 lb  |

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097030X-12**

Code Ref.




TECHNICAL INFORMATION

|        |            |
|--------|------------|
| Color  | Black - 12 |
| Weight | 238.1 lb   |

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097031X-12**

Code Ref.




TECHNICAL INFORMATION

|        |            |
|--------|------------|
| Color  | Black - 12 |
| Weight | 255.74 lb  |

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code       **1097002X-12**

Code Ref.




**TECHNICAL INFORMATION**

|               |            |
|---------------|------------|
| <b>Color</b>  | Black - 12 |
| <b>Weight</b> | 79.37 lb   |

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code       **1097006X-12**

Code Ref.




**TECHNICAL INFORMATION**

|               |            |
|---------------|------------|
| <b>Color</b>  | Black - 12 |
| <b>Weight</b> | 88.18 lb   |

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code       **1097010X-12**

Code Ref.




**TECHNICAL INFORMATION**

|               |            |
|---------------|------------|
| <b>Color</b>  | Black - 12 |
| <b>Weight</b> | 94.8 lb    |

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code       **1097013X-12**

Code Ref.




**TECHNICAL INFORMATION**

|               |            |
|---------------|------------|
| <b>Color</b>  | Black - 12 |
| <b>Weight</b> | 103.62 lb  |

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code       **1097032X-12**

Code Ref.




**TECHNICAL INFORMATION**

|               |            |
|---------------|------------|
| <b>Color</b>  | Black - 12 |
| <b>Weight</b> | 136.69 lb  |

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code       **1097033X-12**

Code Ref.




**TECHNICAL INFORMATION**

|               |            |
|---------------|------------|
| <b>Color</b>  | Black - 12 |
| <b>Weight</b> | 154.32 lb  |

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code       **1097034X-12**

Code Ref.




**TECHNICAL INFORMATION**

|               |            |
|---------------|------------|
| <b>Color</b>  | Black - 12 |
| <b>Weight</b> | 171.96 lb  |

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code       **1097035X-12**

Code Ref.




**TECHNICAL INFORMATION**

|               |            |
|---------------|------------|
| <b>Color</b>  | Black - 12 |
| <b>Weight</b> | 249.12 lb  |

PAINTED DIE-CAST ALUMINIUM WALL BRACKET FOR Ø 60 MM ARM.


Arcluce Code       **1099086X-12**  
Code Ref.



| TECHNICAL INFORMATION |            |
|-----------------------|------------|
| Color                 | Black - 12 |
| Weight                | 1.9 lb     |

PAINTED DIE-CAST ALUMINIUM SINGLE POLE ATTACHMENT.


Arcluce Code       **1099071X-12**  
Code Ref.



| TECHNICAL INFORMATION |            |
|-----------------------|------------|
| Color                 | Black - 12 |
| Weight                | 3.97 lb    |

PAINTED DIE-CAST ALUMINIUM DOUBLE POLE ATTACHMENT.


Arcluce Code       **1099073X-12**  
Code Ref.



| TECHNICAL INFORMATION |            |
|-----------------------|------------|
| Color                 | Black - 12 |
| Weight                | 5.14 lb    |

PAINTED DIE-CAST ALUMINIUM POLE ATTACHMENT FOR 3 LIGHT FITTINGS.


Arcluce Code       **1099076X-12**  
Code Ref.



| TECHNICAL INFORMATION |            |
|-----------------------|------------|
| Color                 | Black - 12 |
| Weight                | 5.62 lb    |

PAINTED DIE-CAST ALUMINIUM POLE ATTACHMENT FOR 4 LIGHT FITTINGS.


Arcluce Code       **1099077X-12**  
Code Ref.



| TECHNICAL INFORMATION |            |
|-----------------------|------------|
| Color                 | Black - 12 |
| Weight                | 6.06 lb    |

PAINTED DIE-CAST ALUMINIUM POLE ATTACHMENT FOR 6 LIGHT FITTINGS.


Arcluce Code       **1099078X-12**  
Code Ref.



| TECHNICAL INFORMATION |            |
|-----------------------|------------|
| Color                 | Black - 12 |
| Weight                | 6.61 lb    |

PAINTED STEEL Ø 60 MM ARM.


Arcluce Code       **1099095X-12**  
Code Ref.



| TECHNICAL INFORMATION |            |
|-----------------------|------------|
| Color                 | Black - 12 |
| Weight                | 14.55 lb   |

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 90 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097020X-12**  
Code Ref.




| TECHNICAL INFORMATION |            |
|-----------------------|------------|
| Color                 | Black - 12 |
| Weight                | 68.34 lb   |

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 90 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097021X-12**

Code Ref.




**TECHNICAL INFORMATION**

|               |            |
|---------------|------------|
| <b>Color</b>  | Black - 12 |
| <b>Weight</b> | 74.96 lb   |

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 90 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097022X-12**

Code Ref.




**TECHNICAL INFORMATION**

|               |            |
|---------------|------------|
| <b>Color</b>  | Black - 12 |
| <b>Weight</b> | 81.57 lb   |

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 90 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097023X-12**

Code Ref.




**TECHNICAL INFORMATION**

|               |            |
|---------------|------------|
| <b>Color</b>  | Black - 12 |
| <b>Weight</b> | 88.18 lb   |

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 90 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097019X-12**

Code Ref.



**TECHNICAL INFORMATION**


|               |            |
|---------------|------------|
| <b>Color</b>  | Black - 12 |
| <b>Weight</b> | 61.73 lb   |



CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097003X-21**

Code Ref.




**TECHNICAL INFORMATION**

|               |                |
|---------------|----------------|
| <b>Color</b>  | Aluminium - 21 |
| <b>Weight</b> | 85.98 lb       |

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097007X-21**

Code Ref.




**TECHNICAL INFORMATION**

|               |                |
|---------------|----------------|
| <b>Color</b>  | Aluminium - 21 |
| <b>Weight</b> | 94.8 lb        |

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097011X-21**

Code Ref.




**TECHNICAL INFORMATION**

|               |                |
|---------------|----------------|
| <b>Color</b>  | Aluminium - 21 |
| <b>Weight</b> | 101.41 lb      |

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097014X-21**

Code Ref.




**TECHNICAL INFORMATION**

|               |                |
|---------------|----------------|
| <b>Color</b>  | Aluminium - 21 |
| <b>Weight</b> | 110.23 lb      |

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097028X-21**

Code Ref.




**TECHNICAL INFORMATION**

|               |                |
|---------------|----------------|
| <b>Color</b>  | Aluminium - 21 |
| <b>Weight</b> | 143.3 lb       |

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097029X-21**

Code Ref.




**TECHNICAL INFORMATION**

|               |                |
|---------------|----------------|
| <b>Color</b>  | Aluminium - 21 |
| <b>Weight</b> | 160.94 lb      |

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097030X-21**

Code Ref.




**TECHNICAL INFORMATION**

|               |                |
|---------------|----------------|
| <b>Color</b>  | Aluminium - 21 |
| <b>Weight</b> | 238.1 lb       |

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097031X-21**

Code Ref.




**TECHNICAL INFORMATION**

|               |                |
|---------------|----------------|
| <b>Color</b>  | Aluminium - 21 |
| <b>Weight</b> | 255.74 lb      |

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code **1097002X-21**

Code Ref.




TECHNICAL INFORMATION

|        |                |
|--------|----------------|
| Color  | Aluminium - 21 |
| Weight | 79.37 lb       |

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code **1097006X-21**

Code Ref.




TECHNICAL INFORMATION

|        |                |
|--------|----------------|
| Color  | Aluminium - 21 |
| Weight | 88.18 lb       |

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code **1097010X-21**

Code Ref.




TECHNICAL INFORMATION

|        |                |
|--------|----------------|
| Color  | Aluminium - 21 |
| Weight | 94.8 lb        |

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code **1097013X-21**

Code Ref.




TECHNICAL INFORMATION

|        |                |
|--------|----------------|
| Color  | Aluminium - 21 |
| Weight | 103.62 lb      |

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code       **1097032X-21**

Code Ref.




**TECHNICAL INFORMATION**

|               |                |
|---------------|----------------|
| <b>Color</b>  | Aluminium - 21 |
| <b>Weight</b> | 136.69 lb      |

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code       **1097033X-21**

Code Ref.




**TECHNICAL INFORMATION**

|               |                |
|---------------|----------------|
| <b>Color</b>  | Aluminium - 21 |
| <b>Weight</b> | 154.32 lb      |

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code       **1097034X-21**

Code Ref.




**TECHNICAL INFORMATION**

|               |                |
|---------------|----------------|
| <b>Color</b>  | Aluminium - 21 |
| <b>Weight</b> | 171.96 lb      |

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER. SUITABLE FOR ARMS MOUNTING.

Arcluce Code       **1097035X-21**

Code Ref.




**TECHNICAL INFORMATION**

|               |                |
|---------------|----------------|
| <b>Color</b>  | Aluminium - 21 |
| <b>Weight</b> | 249.12 lb      |

PAINTED DIE-CAST ALUMINIUM WALL BRACKET FOR Ø 60 MM ARM.


Arcluce Code       **1099086X-21**  
Code Ref.



| TECHNICAL INFORMATION |                |
|-----------------------|----------------|
| Color                 | Aluminium - 21 |
| Weight                | 1.9 lb         |

PAINTED DIE-CAST ALUMINIUM SINGLE POLE ATTACHMENT.


Arcluce Code       **1099071X-21**  
Code Ref.



| TECHNICAL INFORMATION |                |
|-----------------------|----------------|
| Color                 | Aluminium - 21 |
| Weight                | 3.97 lb        |

PAINTED DIE-CAST ALUMINIUM DOUBLE POLE ATTACHMENT.


Arcluce Code       **1099073X-21**  
Code Ref.



| TECHNICAL INFORMATION |                |
|-----------------------|----------------|
| Color                 | Aluminium - 21 |
| Weight                | 5.14 lb        |

PAINTED DIE-CAST ALUMINIUM POLE ATTACHMENT FOR 3 LIGHT FITTINGS.


Arcluce Code       **1099076X-21**  
Code Ref.



| TECHNICAL INFORMATION |                |
|-----------------------|----------------|
| Color                 | Aluminium - 21 |
| Weight                | 5.62 lb        |

PAINTED DIE-CAST ALUMINIUM POLE ATTACHMENT FOR 4 LIGHT FITTINGS.


Arcluce Code       **1099077X-21**  
Code Ref.



| TECHNICAL INFORMATION |                |
|-----------------------|----------------|
| <b>Color</b>          | Aluminium - 21 |
| <b>Weight</b>         | 6.06 lb        |

PAINTED DIE-CAST ALUMINIUM POLE ATTACHMENT FOR 6 LIGHT FITTINGS.


Arcluce Code       **1099078X-21**  
Code Ref.



| TECHNICAL INFORMATION |                |
|-----------------------|----------------|
| <b>Color</b>          | Aluminium - 21 |
| <b>Weight</b>         | 6.61 lb        |

PAINTED STEEL Ø 60 MM ARM.


Arcluce Code       **1099095X-21**  
Code Ref.



| TECHNICAL INFORMATION |                |
|-----------------------|----------------|
| <b>Color</b>          | Aluminium - 21 |
| <b>Weight</b>         | 14.55 lb       |

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 90 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097020X-21**  
Code Ref.




| TECHNICAL INFORMATION |                |
|-----------------------|----------------|
| <b>Color</b>          | Aluminium - 21 |
| <b>Weight</b>         | 68.34 lb       |

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 90 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097021X-21**

Code Ref.




**TECHNICAL INFORMATION**

|               |                |
|---------------|----------------|
| <b>Color</b>  | Aluminium - 21 |
| <b>Weight</b> | 74.96 lb       |

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 90 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097022X-21**

Code Ref.




**TECHNICAL INFORMATION**

|               |                |
|---------------|----------------|
| <b>Color</b>  | Aluminium - 21 |
| <b>Weight</b> | 81.57 lb       |

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 90 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097023X-21**

Code Ref.




**TECHNICAL INFORMATION**

|               |                |
|---------------|----------------|
| <b>Color</b>  | Aluminium - 21 |
| <b>Weight</b> | 88.18 lb       |

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 90 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code       **1097019X-21**

Code Ref.



**TECHNICAL INFORMATION**

|               |                |
|---------------|----------------|
| <b>Color</b>  | Aluminium - 21 |
| <b>Weight</b> | 61.73 lb       |