

DUEDIECI (Model)



TECHNICAL INFORMATION		<u>IES Files</u> ↓
Watt	21W	
Luminaire	Up to 2000lm	
ССТ	3000K – 4000K	
CRI	>80	
Wiring	120-277V 60Hz 0-10V	
LED life time	> 60000h - L80 - B20 (Ta 25°C)	
Color	Aluminium - 21 / Grey - 16	

DESCRIPTION

Construction

- Die-cast aluminium body and trim (EN 47100).
- Double layer polyester powder paint resistant to corrosion and salt spray fog.
- Silicone rubber gaskets.
- AISI 316 stainless steel external screws.
- Goniometer scale to aim light.

Electrical & Optics

- Universal input voltage: 120-277V 50/60Hz.
- 0-10V dimming available.
- Wiring on removable galvanized steel tray.
- High-efficacy LEDs with standard 3000K, 4000K (2700K or other CCTs available on request).
- Reflector made of engineering plastic metalized in highvacuum.
- Screen made of 5/16" thermal-shock resistant tempered glass.

Listings

- UL certified to U.S. and Canadian standards, suitable for wet locations (cULus mark).
- Suitable for mounting within 1.2 m (4 ft) of ground.
- Rated IP66 per EN60598.
- Luminaire rated for -30°C minimum ambient.
- High quality LED sources characterized according to IES TM-30, with high color consistency <3SDCM and long useful life >60000 hours at L80.

Installation

- Surface installation.
- Die-cast aluminium base (EN 47100) for anchoring with rawlplugs.
- Available accessory for mounting on standard junction boxes.
- Supplied with power cord (18AWG conductors).









VERSIONS (Click on below link to configure your product)



driver included

Size: Ø 4" 11/32 9" 7/8 5" 5/16

OPTICS





See accessories in the next page



PAINTED ALUMINIUM SLOPED VISOR.

Arcluce Code

1099198X-12

Code Ref.



TECHNICAL INFORMATION

Color	Black - 12
Weight	0.04 lb

ALUMINIUM HONEYCOMB LOUVRE WITH PAINTED STEEL EDGE.

Arcluce Code

1099346X-12

Code Ref.



TECHNICAL INFORMATION

Color	Black - 12
Weight	0.04 lb

PAINTED DIE-CAST ALUMINIUM SINGLE POLE ATTACHMENT (Ø 102 MM).

Arcluce Code

1099466X-21

Code Ref.



TECHNICAL INFORMATION

Color	Aluminium - 21
Weight	3.31 lb

PAINTED DIE-CAST ALUMINIUM DOUBLE POLE ATTACHMENT (Ø 102 MM).

Arcluce Code

1099467X-21

Code Ref.



TECHNICAL INFORMATION

Color	Aluminium - 21
Weight	3.97 lb



PAINTED DIE-CAST ALUMINIUM SINGLE POLE ATTACHMENT (Ø 102 MM).

Arcluce Code Code Ref.

1099466X-16



TECHNICAL INFORMATION

Color	Grey - 16
Weight	3.31 lb

PAINTED DIE-CAST ALUMINIUM DOUBLE POLE ATTACHMENT (Ø 102 MM).

Arcluce Code

1099467X-16

Code Ref.



TECHNICAL INFORMATION

Color	Grey - 16
Weight	3.97 lb