

# **EMPHASIS** (Model)



TECHNICAL INFORMATION IES FI		<u>IES Files</u> ↓
Watt	34W – 68W	
Luminaire	Up to 7400lm	
ССТ	3000K – 4000K	
CRI	>80	
Wiring		
LED life time	> 60000h - L80 - B20 (Ta 25°C)	
Color	Grey - 16 / Aluminium - 21	

# **DESCRIPTION**



IP65

# **VERSIONS** (Click on below link to configure your product)







## oneway twoway





# **OPTICS**




















CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 90 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code 1097020X-16

Code Ref.



#### **TECHNICAL INFORMATION**


Color	Grey - 16
Weight	68.34 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 90 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code

1097021X-16

Code Ref.



#### **TECHNICAL INFORMATION**


Color	Grey - 16
Weight	74.96 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 90 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code

1097022X-16

Code Ref.




# **TECHNICAL INFORMATION**

Color	Grey - 16
Weight	81.57 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 90 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code 1097023X-16

Code Ref.




Color	Grey - 16
Weight	88.18 lb



CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 90 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code 1097019X-16

Code Ref.



#### **TECHNICAL INFORMATION**


Color	Grey - 16
Weight	61.73 lb

# PAINTED DIE-CAST ALUMINIUM AND STEEL SINGLE POLE ATTACHMENT.

Arcluce Code

1099083X-16

Code Ref.



## **TECHNICAL INFORMATION**


Color	Grey - 16
Weight	5.51 lb

# PAINTED DIE-CAST ALUMINIUM AND STEEL DOUBLE POLE ATTACHMENT.

Arcluce Code

1099001X-16

Code Ref.



### **TECHNICAL INFORMATION**


Color	Grey - 16
Weight	10.58 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 90 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code

1097020X-21

Code Ref.




Color	Aluminium - 21
Weight	68.34 lb



CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 90 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code 1097021X-21

Code Ref.



#### **TECHNICAL INFORMATION**


Color	Aluminium - 21
Weight	74.96 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE  $\emptyset$  90 MM WITH  $\emptyset$  60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code

1097022X-21

Code Ref.



#### **TECHNICAL INFORMATION**


Color	Aluminium - 21
Weight	81.57 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 90 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code

1097023X-21

Code Ref.




# TECHNICAL INFORMATION

Color	Aluminium - 21
Weight	88.18 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 90 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097019X-21** 

Code Ref.




Color	Aluminium - 21
Weight	61.73 lb



# PAINTED DIE-CAST ALUMINIUM AND STEEL SINGLE POLE ATTACHMENT.

Arcluce Code Code Ref.

1099083X-21



## **TECHNICAL INFORMATION**


Color	Aluminium - 21
Weight	5.51 lb

# PAINTED DIE-CAST ALUMINIUM AND STEEL DOUBLE POLE ATTACHMENT.

Arcluce Code

1099001X-21

Code Ref.



Color	Aluminium - 21
Weight	10.58 lb