

PANTHEON2 (Model)



TECHNICAL INFORMATION

[IES Files](#) 

| | |
|---------------|---|
| Watt | 41W – 79W |
| Luminaire | Up to 8800lm |
| CCT | 3000K – 4000K |
| CRI | >80 |
| Wiring | |
| LED life time | > 60000h - L80 - B20 (Ta 25°C) |
| Color | Black - 12 / Grey - 16 / Aluminium - 21 |

DESCRIPTION



VERSIONS *(Click on below link to configure your product)*



[pantheon2](#)

Size:
Ø 12" 7/16
16" 15/32
16" 23/32



OPTICS




See accessories in the next page

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097003X-16**

Code Ref.




TECHNICAL INFORMATION

| | |
|--------|-----------|
| Color | Grey - 16 |
| Weight | 85.98 lb |

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097007X-16**

Code Ref.




TECHNICAL INFORMATION

| | |
|--------|-----------|
| Color | Grey - 16 |
| Weight | 94.8 lb |

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097011X-16**

Code Ref.




TECHNICAL INFORMATION

| | |
|--------|-----------|
| Color | Grey - 16 |
| Weight | 101.41 lb |

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097014X-16**

Code Ref.




TECHNICAL INFORMATION

| | |
|--------|-----------|
| Color | Grey - 16 |
| Weight | 110.23 lb |

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097028X-16**

Code Ref.




TECHNICAL INFORMATION

| | |
|---------------|-----------|
| Color | Grey - 16 |
| Weight | 143.3 lb |

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097029X-16**

Code Ref.




TECHNICAL INFORMATION

| | |
|---------------|-----------|
| Color | Grey - 16 |
| Weight | 160.94 lb |

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097030X-16**

Code Ref.




TECHNICAL INFORMATION

| | |
|---------------|-----------|
| Color | Grey - 16 |
| Weight | 238.1 lb |

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097031X-16**

Code Ref.




TECHNICAL INFORMATION

| | |
|---------------|-----------|
| Color | Grey - 16 |
| Weight | 255.74 lb |

GLASS LENS FOR ELLIPTIC BEAM.

Arcluce Code **1099254X**
Code Ref.



TECHNICAL INFORMATION

| | |
|--------|---------|
| Weight | 1.43 lb |
|--------|---------|

PAINTED STEEL GLARE-CONTROL LOUVRED.

Arcluce Code **1099109X-12**
Code Ref.




TECHNICAL INFORMATION

| | |
|-------|------------|
| Color | Black - 12 |
|-------|------------|

| | |
|--------|--------|
| Weight | 2.2 lb |
|--------|--------|

CHROME-PLATED STEEL PROTECTION GRID.

Arcluce Code **1099246X**
Code Ref.



TECHNICAL INFORMATION

| | |
|--------|---------|
| Weight | 0.33 lb |
|--------|---------|

PAINTED ALUMINIUM SLOPED VISOR.

Arcluce Code **1099204X-12**
Code Ref.




TECHNICAL INFORMATION

| | |
|-------|------------|
| Color | Black - 12 |
|-------|------------|

| | |
|--------|--------|
| Weight | 2.2 lb |
|--------|--------|

PAINTED STEEL SINGLE POLE ATTACHMENT (Ø 120 MM).


Arcluce Code **1099085X-16**
Code Ref.



| TECHNICAL INFORMATION | |
|-----------------------|-----------|
| Color | Grey - 16 |
| Weight | 8.82 lb |

PAINTED STEEL DOUBLE POLE ATTACHMENT (Ø 120 MM).


Arcluce Code **1099082X-16**
Code Ref.



| TECHNICAL INFORMATION | |
|-----------------------|-----------|
| Color | Grey - 16 |
| Weight | 9.26 lb |

PAINTED STEEL SINGLE POLE ATTACHMENT (Ø 102 MM).


Arcluce Code **1099084X-16**
Code Ref.



| TECHNICAL INFORMATION | |
|-----------------------|-----------|
| Color | Grey - 16 |
| Weight | 9.48 lb |

PAINTED STEEL FLOODLIGHT-SUPPORTING BRACKET, FOR Ø 60 MM POLE.


Arcluce Code **1099153X-16**
Code Ref.



| TECHNICAL INFORMATION | |
|-----------------------|-----------|
| Color | Grey - 16 |
| Weight | 7.17 lb |

PAINTED STEEL FLOODLIGHT-SUPPORTING BRACKET, FOR Ø 60 MM POLE.


Arcluce Code **1099151X-16**
Code Ref.



| TECHNICAL INFORMATION | |
|-----------------------|-----------|
| Color | Grey - 16 |
| Weight | 12.35 lb |

PAINTED STEEL FLOODLIGHT-SUPPORTING BRACKET, FOR Ø 60 MM POLE.


Arcluce Code **1099152X-16**
Code Ref.



| TECHNICAL INFORMATION | |
|-----------------------|-----------|
| Color | Grey - 16 |
| Weight | 17.64 lb |

PAINTED DIE-CAST ALUMINIUM AND STEEL SINGLE POLE ATTACHMENT (Ø 102 MM).


Arcluce Code **1099472X-16**
Code Ref.



| TECHNICAL INFORMATION | |
|-----------------------|-----------|
| Color | Grey - 16 |
| Weight | 3.75 lb |

PAINTED DIE-CAST ALUMINIUM AND STEEL DOUBLE POLE ATTACHMENT (Ø 102 MM) .


Arcluce Code **1099473X-16**
Code Ref.



| TECHNICAL INFORMATION | |
|-----------------------|-----------|
| Color | Grey - 16 |
| Weight | 4.63 lb |

PAINTED DIE-CAST ALUMINIUM DOUBLE POLE ATTACHMENT.


Arcluce Code **1099079X-16**
Code Ref.



| TECHNICAL INFORMATION | |
|-----------------------|-----------|
| Color | Grey - 16 |
| Weight | 1.54 lb |

POLE BRACKET FOR 1 LIGHT FITTING FOR Ø 60 MM POLE.


Arcluce Code **1099080X-16**
Code Ref.



| TECHNICAL INFORMATION | |
|-----------------------|-----------|
| Color | Grey - 16 |
| Weight | 1.43 lb |

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.


Arcluce Code **1097003X-21**
Code Ref.



| TECHNICAL INFORMATION | |
|-----------------------|----------------|
| Color | Aluminium - 21 |
| Weight | 85.98 lb |

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097007X-21**
Code Ref.




| TECHNICAL INFORMATION | |
|-----------------------|----------------|
| Color | Aluminium - 21 |
| Weight | 94.8 lb |

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097011X-21**

Code Ref.




TECHNICAL INFORMATION

| | |
|---------------|----------------|
| Color | Aluminium - 21 |
| Weight | 101.41 lb |

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097014X-21**

Code Ref.




TECHNICAL INFORMATION

| | |
|---------------|----------------|
| Color | Aluminium - 21 |
| Weight | 110.23 lb |

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097028X-21**

Code Ref.




TECHNICAL INFORMATION

| | |
|---------------|----------------|
| Color | Aluminium - 21 |
| Weight | 143.3 lb |

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097029X-21**

Code Ref.




TECHNICAL INFORMATION

| | |
|---------------|----------------|
| Color | Aluminium - 21 |
| Weight | 160.94 lb |

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097030X-21**

Code Ref.




TECHNICAL INFORMATION

| | |
|---------------|----------------|
| Color | Aluminium - 21 |
| Weight | 238.1 lb |

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 100 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097031X-21**

Code Ref.




TECHNICAL INFORMATION

| | |
|---------------|----------------|
| Color | Aluminium - 21 |
| Weight | 255.74 lb |

PAINTED STEEL SINGLE POLE ATTACHMENT (Ø 120 MM).

Arcluce Code **1099085X-21**

Code Ref.




TECHNICAL INFORMATION

| | |
|---------------|----------------|
| Color | Aluminium - 21 |
| Weight | 8.82 lb |

PAINTED STEEL DOUBLE POLE ATTACHMENT (Ø 120 MM).

Arcluce Code **1099082X-21**

Code Ref.




TECHNICAL INFORMATION

| | |
|---------------|----------------|
| Color | Aluminium - 21 |
| Weight | 9.26 lb |

PAINTED STEEL SINGLE POLE ATTACHMENT (Ø 102 MM).


Arcluce Code **1099084X-21**
Code Ref.



| TECHNICAL INFORMATION | |
|-----------------------|----------------|
| Color | Aluminium - 21 |
| Weight | 9.48 lb |

PAINTED STEEL FLOODLIGHT-SUPPORTING BRACKET, FOR Ø 60 MM POLE.


Arcluce Code **1099153X-21**
Code Ref.



| TECHNICAL INFORMATION | |
|-----------------------|----------------|
| Color | Aluminium - 21 |
| Weight | 7.17 lb |

PAINTED STEEL FLOODLIGHT-SUPPORTING BRACKET, FOR Ø 60 MM POLE.


Arcluce Code **1099151X-21**
Code Ref.



| TECHNICAL INFORMATION | |
|-----------------------|----------------|
| Color | Aluminium - 21 |
| Weight | 12.35 lb |

PAINTED STEEL FLOODLIGHT-SUPPORTING BRACKET, FOR Ø 60 MM POLE.


Arcluce Code **1099152X-21**
Code Ref.



| TECHNICAL INFORMATION | |
|-----------------------|----------------|
| Color | Aluminium - 21 |
| Weight | 17.64 lb |

PAINTED DIE-CAST ALUMINIUM AND STEEL SINGLE POLE ATTACHMENT (Ø 102 MM).


Arcluce Code **1099472X-21**
Code Ref.



| TECHNICAL INFORMATION | |
|-----------------------|----------------|
| Color | Aluminium - 21 |
| Weight | 3.75 lb |

PAINTED DIE-CAST ALUMINIUM AND STEEL DOUBLE POLE ATTACHMENT (Ø 102 MM) .


Arcluce Code **1099473X-21**
Code Ref.



| TECHNICAL INFORMATION | |
|-----------------------|----------------|
| Color | Aluminium - 21 |
| Weight | 4.63 lb |

PAINTED DIE-CAST ALUMINIUM DOUBLE POLE ATTACHMENT.


Arcluce Code **1099079X-21**
Code Ref.



| TECHNICAL INFORMATION | |
|-----------------------|----------------|
| Color | Aluminium - 21 |
| Weight | 1.54 lb |

POLE BRACKET FOR 1 LIGHT FITTING FOR Ø 60 MM POLE.

Arcluce Code **1099080X-21**
Code Ref.



| TECHNICAL INFORMATION | |
|-----------------------|----------------|
| Color | Aluminium - 21 |
| Weight | 1.43 lb |