

ZOYA (Model)



TECHNICAL INFORMATION

[IES Files](#) 

Watt	37W – 77W
Luminaire	Up to 10750lm
CCT	3000K – 4000K
CRI	>80
Wiring	
LED life time	> 60000h - L80 - B20 (Ta 25°C)
Color	Grey - 16 / Black - 12 / Aluminium - 21

DESCRIPTION



VERSIONS *(Click on below link to configure your product)*



[comfort](#)

Size:
Ø 19" 3/8
25" 3/16



[opal](#)

Size:
Ø 19" 3/8
25" 3/16




[soft light](#)

Size:
Ø 19" 3/8
25" 3/16



1.72 ft²


OPTICS



See accessories in the next page

PAINTED DIE-CAST ALUMINIUM WALL BRACKET FOR Ø 60 MM ARM.


Arcluce Code **1099098X-16**
Code Ref.



TECHNICAL INFORMATION	
Color	Grey - 16
Weight	5.51 lb

PAINTED DIE-CAST ALUMINIUM SINGLE POLE ATTACHMENT.


Arcluce Code **1099097X-16**
Code Ref.



TECHNICAL INFORMATION	
Color	Grey - 16
Weight	7.72 lb

PAINTED DIE-CAST ALUMINIUM DOUBLE POLE ATTACHMENT.


Arcluce Code **1099096X-16**
Code Ref.



TECHNICAL INFORMATION	
Color	Grey - 16
Weight	13.23 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 76 MM WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097016X-16**
Code Ref.




TECHNICAL INFORMATION	
Color	Grey - 16
Weight	46.3 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 76 MM WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097017X-16**

Code Ref.




TECHNICAL INFORMATION

Color	Grey - 16
Weight	52.91 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 76 MM WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097018X-16**

Code Ref.




TECHNICAL INFORMATION

Color	Grey - 16
Weight	57.32 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097036X-16**

Code Ref.




TECHNICAL INFORMATION

Color	Grey - 16
Weight	79.37 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097037X-16**

Code Ref.




TECHNICAL INFORMATION

Color	Grey - 16
Weight	85.98 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097038X-16**

Code Ref.




TECHNICAL INFORMATION

Color	Grey - 16
Weight	92.59 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097001X-16**

Code Ref.




TECHNICAL INFORMATION

Color	Grey - 16
Weight	77.16 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097004X-16**

Code Ref.




TECHNICAL INFORMATION

Color	Grey - 16
Weight	85.98 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097008X-16**

Code Ref.




TECHNICAL INFORMATION

Color	Grey - 16
Weight	94.8 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097012X-16**

Code Ref.




TECHNICAL INFORMATION

Color	Grey - 16
Weight	101.41 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097015X-16**

Code Ref.




TECHNICAL INFORMATION

Color	Grey - 16
Weight	110.23 lb

PAINTED DIE-CAST ALUMINIUM WALL BRACKET FOR Ø 60 MM ARM.

Arcluce Code **1099098X-12**

Code Ref.




TECHNICAL INFORMATION

Color	Black - 12
Weight	5.51 lb

PAINTED DIE-CAST ALUMINIUM SINGLE POLE ATTACHMENT.

Arcluce Code **1099097X-12**

Code Ref.




TECHNICAL INFORMATION

Color	Black - 12
Weight	7.72 lb

PAINTED DIE-CAST ALUMINIUM DOUBLE POLE ATTACHMENT.


Arcluce Code **1099096X-12**
Code Ref.



TECHNICAL INFORMATION	
Color	Black - 12
Weight	13.23 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 76 MM WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.


Arcluce Code **1097016X-12**
Code Ref.



TECHNICAL INFORMATION	
Color	Black - 12
Weight	46.3 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 76 MM WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.


Arcluce Code **1097017X-12**
Code Ref.



TECHNICAL INFORMATION	
Color	Black - 12
Weight	52.91 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 76 MM WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097018X-12**
Code Ref.




TECHNICAL INFORMATION	
Color	Black - 12
Weight	57.32 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097036X-12**

Code Ref.




TECHNICAL INFORMATION

Color	Black - 12
Weight	79.37 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097037X-12**

Code Ref.




TECHNICAL INFORMATION

Color	Black - 12
Weight	85.98 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097038X-12**

Code Ref.




TECHNICAL INFORMATION

Color	Black - 12
Weight	92.59 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097001X-12**

Code Ref.




TECHNICAL INFORMATION

Color	Black - 12
Weight	77.16 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097004X-12**

Code Ref.




TECHNICAL INFORMATION

Color	Black - 12
Weight	85.98 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097008X-12**

Code Ref.




TECHNICAL INFORMATION

Color	Black - 12
Weight	94.8 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097012X-12**

Code Ref.




TECHNICAL INFORMATION

Color	Black - 12
Weight	101.41 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097015X-12**

Code Ref.




TECHNICAL INFORMATION

Color	Black - 12
Weight	110.23 lb

PAINTED DIE-CAST ALUMINIUM WALL BRACKET FOR Ø 60 MM ARM.


Arcluce Code **1099098X-21**
Code Ref.



TECHNICAL INFORMATION	
Color	Aluminium - 21
Weight	5.51 lb

PAINTED DIE-CAST ALUMINIUM SINGLE POLE ATTACHMENT.


Arcluce Code **1099097X-21**
Code Ref.



TECHNICAL INFORMATION	
Color	Aluminium - 21
Weight	7.72 lb

PAINTED DIE-CAST ALUMINIUM DOUBLE POLE ATTACHMENT.


Arcluce Code **1099096X-21**
Code Ref.



TECHNICAL INFORMATION	
Color	Aluminium - 21
Weight	13.23 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 76 MM WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097016X-21**
Code Ref.




TECHNICAL INFORMATION	
Color	Aluminium - 21
Weight	46.3 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 76 MM WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097017X-21**

Code Ref.




TECHNICAL INFORMATION

Color	Aluminium - 21
Weight	52.91 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 76 MM WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097018X-21**

Code Ref.




TECHNICAL INFORMATION

Color	Aluminium - 21
Weight	57.32 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097036X-21**

Code Ref.




TECHNICAL INFORMATION

Color	Aluminium - 21
Weight	79.37 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097037X-21**

Code Ref.




TECHNICAL INFORMATION

Color	Aluminium - 21
Weight	85.98 lb

CYLINDRICAL TAPERED ZINC-COATED AND PAINTED STEEL POLE WITH Ø 60 MM (X 110 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097038X-21**

Code Ref.




TECHNICAL INFORMATION

Color	Aluminium - 21
Weight	92.59 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097001X-21**

Code Ref.




TECHNICAL INFORMATION

Color	Aluminium - 21
Weight	77.16 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097004X-21**

Code Ref.




TECHNICAL INFORMATION

Color	Aluminium - 21
Weight	85.98 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097008X-21**

Code Ref.




TECHNICAL INFORMATION

Color	Aluminium - 21
Weight	94.8 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097012X-21**

Code Ref.




TECHNICAL INFORMATION

Color	Aluminium - 21
Weight	101.41 lb

CYLINDRICAL ZINC-COATED AND PAINTED STEEL POLE Ø 102 MM WITH Ø 60 MM (X 140 MM) REDUCTION WITH INSPECTION SLIT AND TERMINAL BOARD WITH FUSE CARRIER.

Arcluce Code **1097015X-21**

Code Ref.



TECHNICAL INFORMATION

Color	Aluminium - 21
Weight	110.23 lb